





HOME BUILDERS' CATALOGUE OF WUNDERLICH METAL CEILINGS



24



2 Sheets @ 3/6 7.6
12 " @ 3/ 1.16
2.3.6



WUNDERLICH



LIMITED.

INDEX

	Page
Foreword	1
Examples of Steel Ceilings	2 to 4
How to Order, etc.	5
Suggestions for Complete Ceiling Designs	6 to 17
Steel Diaper Sheetings	18 to 21
Steel Panellings	22 to 23
Steel Deep Panels	24
Steel Border Sheetings	25
Steel Mouldings	26 to 27
Plain Steel Cornices	27
Enriched Steel Cornices	28 to 31
Steel Soffits for Beams	31
How to Fix Metal Ceilings	32 to 33
Steel Wall Linings	34 to 38
Steel Dado Panels	36
How to Fix Steel Wall Lining	39
Metal Centreflowers and Wall Ventilators	40 to 41
Galvanised Steel Skylights	42
Glazing Bars	43
Galvanised Steel Exterior Linings	44 to 45
Window Hoods	46
Memorial Tablets	47
Metal Shop Fronts	48



WUNDERLICH LIMITED

Head Office: BAPTIST ST., REDFERN, N.S.W.

Showrooms:

SYDNEY:
Baptist Street, Redfern.MELBOURNE:
243 Collins Street.ADELAIDE:
113-119 Currie Street.BRISBANE:
Amelia Street, Valley.PERTH:
Lord Street.HOBART:
139 Macquarie Street.LAUNCESTON:
71 St. John Street.NEWCASTLE:
53 Hunter Street.



FOREWORD

WUNDERLICH Art Metal Ceilings were introduced to the Australian Public in the year 1887, by the Wunderlich Brothers, and met with immediate success. Within the space of a few years, numerous Ceiling Treatments, which may be seen to-day in as perfect condition as when first erected—such, for instance, as those in the Sydney Town Hall, Palace Theatre, Hotel Australia, and Sydney Hospital—had been carried out in Wunderlich Metal, and the fame of this method of decoration became so well established that Homebuilders throughout Australasia learned to look upon it as indispensable to a beautiful home.

Since those days, many developments have taken place, but nothing has shaken the confidence placed in the material by our clients. Time has served to increase the knowledge and popularity of our products, so that to-day our present organisation, known as Wunderlich Limited, directed by the Wunderlich Brothers, Messrs. Ernest H. C., Alfred, and Dr. Otto Wunderlich, with ample resources at its command, caters for a demand immeasurably in excess of the business carried on 15 or 20 years ago.

This growth has had wonderful results. Most wonderful of all have been the increase in our range of patterns and the improvement in manufacturing methods, whereby our Art Metal has been made available, in a profusion of designs, at prices within the means of the most modest Homebuilder; so that, whereas our early clients made their choice from the point of view of Merit alone, our customers to-day may indulge their taste without restriction, and enjoy the added benefit of moderate cost.

Assured, therefore, that our Material will be found attractive, we submit this Catalogue illustrating a limited but carefully arranged selection of our Metal Manufactures; Art Metal Ceilings in particular. Our supplies of all designs illustrated are unlimited; accordingly, clients may select from an inexhaustible store of all that is best in Ceiling and Wall Decoration, with the assurance that a treatment giving pleasure and contentment to everyone concerned will be the outcome.

WUNDERLICH LIMITED,

Manufacturers.

M. 2.

1-11-24.



An Art Metal Ceiling of Recent Design



A Drawing Room Ceiling, involving the Suite of delicately embossed panels shown on page 16.

FOR that feeling of restfulness and comfort, so much desired in the quiet hours of the evening, nothing is so essential as congenial surroundings. The Drawing Room is valued from this aspect, and our designers have given due thought to the creation of Decorative Ceiling Treatments in harmony with the requirements of this section of the Home.

Wunderlich Art Metal Ceilings will be found to embrace Designs suited to each and every taste. Whether for the Drawing Room or the least important Room of the Home, numerous designs are available from our extensive range, exactly suited to the purpose.


Nor is it in Design only that our Art Metal affords such complete satisfaction. In choosing this form of Ceiling Decoration, you ensure freedom from the thousand and one troubles that so often mar the beauty of the home. Our Material is permanent, it cannot crack or fall down, and it is proof against insect pests, borers and white ant.

More than this, our Art Metal is economical to instal; and the first cost is the only cost, because the Ceiling retains its freshness and charm of appearance over an unlimited period.

When you are building, be sure to insist on Wunderlich Art Metal Ceilings, and so enjoy the benefits which they confer.



A Ceiling of Deeply Embossed Panelling



View of a Dining Room Ceiling, illustrating the substantial yet truly artistic effect obtainable with a Deeply Embossed Pattern.

WE find it possible, in this Catalogue, to show but a few illustrations of the Work we have carried out. Ceilings of intricate detail and extreme beauty, alike with those of more subdued design, are available in wonderful variety in our Art Metal; and endless examples in Homes and Buildings throughout Australasia bear witness to the completeness and artistic merit of our scheme of Ceiling Decoration.

It is not in new Homes alone that our Metal will be found so greatly welcome. Many a plaster ceiling or similar surface, cracked or stained by reason of its long years of existence, has been covered or replaced by a Wunderlich Art Metal Treatment, whereby a

new charm and interest in the Dwelling have been created. Considering the question of Ceilings from any aspect, you will find our Art Metal alone worthy of your Home. Even though you are resident miles away in the Country, our Metal will come to you in a form surprisingly easy to fix; and the transit charges will be a revelation to you, as Wunderlich Ceilings weigh lighter than any other material for the purpose yet heard of.

If you desire the Home to be a credit and a delight to you, and a source of pleasure to your friends, make sure that the Ceilings are superior and distinctive. Adopt the "Wunderlich" treatment.



A Ceiling of Elaborate Design



The Best Room in a fine Modern Home; showing a highly ornate Ceiling Treatment in Wunderlich Metal.

ABOVE we show an Art Metal Treatment particularly suited to the Surroundings. Not only is the Ceiling distinctive in Design, but it is ideal for positions such as here, where full enjoyment from a musical entertainment is desired; the acoustic qualities of our Metal being proverbial.

Notwithstanding its high merit, our Material is really inexpensive in initial cost, and even less costly in the long run.

It has stood the great test of Time, and is offered to you as a perfected Ceiling, unrivalled in its utilitarian and artistic qualities yet within the means of the most modest Homebuilder. In construction, Wunderlich metal is simplicity itself. Each sheet is accurately stamped with

a register bead or button along each side and end, ensuring a close-fitting lap indiscernible to the eye. The material is primed with a coat of oil paint, which facilitates the final painting or decorating following its erection.

All this results in an impermeable surface, affording no harbour to insects and vermin, and constituting an absolute barrier to the spread of fire.

Withal, our Art Metal is strong and Durable, so that it is rarely we have an instance of damage in transit. What we illustrate in this Catalogue, you can rely upon receiving, true to pattern and perfect in finish.

Wunderlich Ceilings are well worth your patronage. We have had few dissatisfied clients.



How to Order



WUNDERLICH Art Metal Ceilings may be ordered in either of two ways, viz., (a) in Stock Sizes or (b) To Design.

STOCK SIZES.—To order in "Stock Sizes," our client should first acquire as much information as possible from our Catalogue relative to Wunderlich Materials. The next step is to make a selection of patterns for the various rooms it is desired to treat, and then calculate the quantity of Cornices (6ft. lengths), Sheetings (6ft. x 2ft. Sheets), and, if so desired, Mouldings (6ft. lengths) and Border Sheetings (6ft. long by widths up to 2ft.), which the job involves. The quantity of steel leaves and bosses, for the mitres of cornices and mouldings respectively, should also be ascertained. In arriving at these quantities, our client should take into consideration any waste which may arise in the fixing of the ceilings, and order extra material to compensate for this waste. When placing the order, our client should mention the quantity, catalogue number, and size of each pattern required; on receipt of which

we effect prompt delivery of the materials, invoicing at the "Stock Rates" shown in our current price list.

TO DESIGN.—The object of ordering "To Design" is to obtain the benefit of our knowledge and assistance; and new clients often avail themselves of this. Instead of calculating his own quantities (as in the case of ordering in Stock Sizes) our client simply supplies us with a plan or measurements of the various rooms he desires to ceil; and, at the same time, tells us what patterns he prefers. We then forward a design, free of cost, showing the arrangement of the various ceilings; accompanying this with our quotation for the supplying (and, if so desired, the fixing) of the various materials involved. This quote works out at a little dearer than "Stock Rates," as it covers all waste in cutting, also sufficient $\frac{1}{2}$ in. x 16 gauge nails for applying the metal. When the work is entrusted to us, we prepare a working plan for the guidance of the tradesman who will be fixing the ceilings, and we supply the metal materials in accordance with this plan, allowing full and plenty for each room.

Measurements

To ensure accuracy in the execution of orders and in the preparation of estimates, we ask our clients to provide us with the fullest possible information as to their requirements.

In every instance, we like to have a plan—even if only a rough one—of the work in view. This plan should show:—

The dimension of each wall.

The face measurement and the depth of each projection, such as a chimney breast.

One diagonal measurement, should the room not be perfectly rectangular.

The distance between the underside of ceiling joists and top of window architraves.

Sometimes beams occur, in which case we should be advised as to the depth (from underside of joists) and width of the beams, and whether of timber or a rolled steel section.

Terms and Conditions

DESPATCH.—Deliveries per our own carts or lorries are charged for at current rates.

CASES.—We invoice cases at cost price, but make no charge for packing. Empty cases cannot be accepted, if returned to us, as invariably they are valueless.

INSURANCE AND FREIGHT.—When goods are sent by sea route, they will be insured by us, failing specific instructions regarding insurance; and the premium will be charged at current rates. We do not prepay freight unless under buyers' instructions.


RESPONSIBILITY.—When we have delivered goods on to rail or boat, our responsibility ceases. Any claim for damage occurring in transit should be made against the railway or shipping authorities concerned.

PAYMENT.—To avoid delay and misunderstandings, new clients are advised to furnish business references or else to forward cash, with their first order. In the case of overseas clients, we prefer to forward a draft through our Bank, accompanied by documents.

WUNDERLICH



LIMITED.




COMPLETE CEILING DESIGN, No. 6035

Comprising Sheeting No. 1533 (supplied in sheets 6ft. x 2ft.). Border Finish No. 1312 (6in. projection, 1½in. deep, 8in. girth). Centreflower No. 1477 (stock size, 2ft. x 2ft.).

WUNDERLICH



LIMITED.




COMPLETE CEILING DESIGN, No. 6036

Comprising: Diaper No. **1118** (6ft. x 2ft. sheets, 12in. pattern). Cornice No. **1443** (6ft. lengths, 9in. projection, 3in. deep, 12in. girth).

WUNDERLICH



LIMITED.



COMPLETE CEILING DESIGN, No. 6034

Comprising: Diaper No. **1104** (6ft. x 2ft. sheets, 12in. pattern). Cornice No. **1101** (6ft. lengths. 4 $\frac{3}{4}$ in. projection, 8 $\frac{1}{2}$ in. deep, 12in. girth). Border No. **1408** (6ft. x 2ft. sheets).



COMPLETE CEILING DESIGN, No. 6033

Comprising: Driper No. **1000** (6ft. x 2ft. sheets, 12in. pattern). Cornice No. **1101** (6ft. lengths, 4in. projection, 8in. deep, 12in. girth). Border No. **1406** (6ft. x 2ft. sheets). Moulding No. **206** (6ft. lengths, 2½in. wide, 4in. girth).



COMPLETE CEILING DESIGN, No. 6013

Comprising: Panelling No. **1501** (6ft. x 2ft. sheets, 24in. pattern). Cornice No. **1363** (6ft. lengths, 6½in. projection, 6½in. deep, 11in. girth.) Border Panelling No. **1508** (6ft. x 2ft. sheets).



COMPLETE CEILING DESIGN, No. 6037

Comprising Paneling No. **1499** (6ft x 2ft sheets, 24 in pattern). Cornice No. **1527** (6ft lengths, 4 in projection, 6 in deep, 9 in girth). Border No. **172** (6ft x 2ft sheets). Moulding No. **201** (6ft lengths, 1 in wide, 3 in girth).

NOTE—Patenting No. 1499 is an exclusive Wunderlich design, protected by Royal letters patent No. 6569 22



COMPLETE CEILING DESIGN, No. 6027

Comprising: Panelling No. **1381** (6ft. x 2ft. sheets, 24in. pattern). Cornice No. **1363** (6ft. lengths, 6 $\frac{1}{4}$ in. projection, 6 $\frac{3}{4}$ in. deep, 11in. girth). Border No. **172** (6ft. x 2ft. sheets). Moulding No. **205** (6ft. lengths, 2in. wide, 3 $\frac{1}{2}$ in. girth).



COMPLETE CEILING DESIGN, No. 6008

Comprising: Panelling No. **1500** (6ft. x 2ft. sheets, pattern 36in. x 24in.). Cornice No. **1884** (6ft. lengths, 6in. projection, 6in. deep, 10in. girth). Border No. **1406** (6ft. x 2ft. sheets). Moulding No. **205** (6ft. lengths, 24in. wide, 3½in. girth).



COMPLETE CEILING DESIGN, No. 6019

Comprising: Panelling No. **1397** (6ft. x 2ft. sheets, 24in. pattern). Cornice No. **1363** (6ft. lengths, 6½in. projection, 6¾in. depth, 11in. girth). Border No. **1406** (6ft. x 2ft. sheets). Moulding No. **1493** (6ft. lengths, 1½in. wide, 2¼in. girth). Centreflower No. **60** (11½in. square)



COMPLETE CEILING DESIGN, No. 6040

Comprising: Panelling No. **1558** (6ft. x 2ft. sheets, 24in. pattern). Cornice No. **352** (6ft. lengths, 3½in. projection, 4in. deep, 6½in. girth). Border No. **1406** (6ft. x 2ft. sheets) Moulding No. **209** (6ft lengths, 4in. wide, 6½in. girth)



COMPLETE CEILING DESIGN, No. 6041

Comprising : Panelling No. **1501** (6ft. x 2ft. sheets, 24in. pattern). Border Panelling No. **1560** (6ft. x 2ft. sheets, 24in. repeat). Corner Panel No. **1561** (size 2ft. x 2ft.). Cornice No. **1563** (6ft. lengths, 6in. projection, 4in. deep, 9in. girth). Border No. **1406** (6ft. x 2ft. sheets)



COMPLETE CEILING DESIGN, No. 6022

Comprising Panelling No. 1410 (6ft. x 2ft. sheets, 24in. pattern). Cornice No. 958 (6ft. lengths, 12in. projection, 12in. deep, 23in. girth). Border No. 822 (6ft. x 2ft. sheets). Moulding No. 654 (6ft. lengths, 3½in. wide, 5½in. girth).



COMPLETE CEILING DESIGN, No. 6004

Comprising: Corner Panel No. **1456** (3ft. x 3ft.). Border Panel No. **1457** (3ft. x 3ft.). Filling Panel No. **1458** (3ft. x 3ft.). Cornice No. **1098** (6ft. lengths, 9in. projection, 7in. deep, 13½in. girth). Border No. **1408** (6ft. x 2ft. sheets).




COMPLETE CEILING DESIGN, No. 6017.


Comprising: Deep Panels No. 1170 (2ft. x 2ft.). Cornice No. 1305 (6ft. lengths, 9in. projection, 6in. deep, 13in. girth). Border No. 1152 (6ft. x 2ft. sheets). Moulding No. 975 (6ft. lengths, 2 $\frac{3}{4}$ in. wide, 5 $\frac{1}{2}$ in. girth).




STEEL DIAPERS




No. 1533



No. 150




No. 171



No. 1093




No. 1027



No. 515

Supplied in Sheets—Stock size 6ft. x 2ft. Illustrations represent portions of sheet 2ft. x 2ft.


STEEL DIAPERS




No. 1107




No. 1122




No. 1116



No. 1419



No. 673




No. 1424

Supplied in Sheets—Stock Size 6ft. x 2ft. Illustrations represent portions of sheet 2ft. x 2ft.

STEEL DIAPERS.



No. 1197




No 1055




No. 1352



No. 1478



No. 1354



No. 1353

Supplied in Sheets—Stock Size 6ft. x 2ft. Illustrations represent portions of sheet 2ft. x 2ft.


STEEL DIAPERS



No. 1056



No. 1115




No. 1071



No. 1398



No. 198




No. 1074

Supplied in Sheets—Stock Size 6ft. x 2ft. Illustrations represent portions of sheet 2ft. x 2ft.




STEEL PANELLINGS



No. 1376




No. 1301



No. 1351



No. 1073



No. 1033



No. 152


Supplied in Sheets Stock Size 6ft. x 2ft. Illustrations represent portions of sheet 2ft. x 2ft.



STEEL PANELLINGS




No. 1535



No. 1321



No 1444



No. 951




No. 1315



No. 1399

Supplied in Sheets—Stock Size]6ft. x 2ft. Illustrations represent portions of sheet 2ft. x 2ft.



STEEL DEEP PANELS




No. 1427



No. 994




No. 1164



No. 1161




No. 746




No. 163

Supplied in Panels 2ft. x 2ft., as illustrated. These patterns are also available in various smaller Stock Sizes.

STEEL CEILING BORDERS




No. 1406




No. 1387



No. 1389




No. 464



No. 601



No. 1152



No. 172



No. 762


Steel Borders are supplied in sheets 6ft. long x 2ft. wide; or they may be obtained, to order, in any smaller width.

To indicate the purpose of a steel border, we draw attention to border No. 1406, on page 9 of this Catalogue. It will be seen that a steel border is used to make up irregularities in the size of a room. The design of a steel border permits of cutting without detracting from its appearance; whereas the design of most of our panellings does not permit of effective cutting.




STEEL MOULDINGS


No. 1468
2in. Girth




No. 1493
2½in. Girth





No. 201
3in. Girth




No. 205
3½in. Girth




No. 204
4in. Girth




No. 206
4in. Girth




No. 499
4in. Girth




No. 497
5in. Girth




No. 1361
5in. Girth




No. 654
5½in. Girth



No. 975
5½in. Girth



No. 209
6½in. Girth




No. 1173
7½in. Girth




Supplied in lengths of 6ft. Bosses are used for the mitres of these mouldings

STEEL MOULDINGS



No. 475
7½ in. Girth




No. 864
10 in. Girth




No. 517
5 in. Girth



No. 551
6½ in. Girth





No. 1378
6½ in. Girth





Note: Nos. 517 and 551 are dado mouldings.

PLAIN STEEL CORNICES.



No. 878
3 in. Girth




No. 933
3 in. Girth





No. 765
5½ in. Girth



No. 352
6½ in. Girth













No. 353
8 in. Girth



Mouldings and Cornices are supplied in lengths of 6ft. Steel leaves are used for the mitres of Cornices 765, 352, and 353.





STEEL CORNICES

No. 1172
2 1/2 in. GirthNo. 1076
5 1/2 in. GirthNo. 1409
5 1/2 in. GirthNo. 776
6 1/2 in. GirthNo. 1110
7 in. GirthNo. 1131
7 in. GirthNo. 1312
8 in. GirthNo. 772
9 in. GirthNo. 1130
9 in. Girth


Supplied in Stock lengths of 6ft. Corner blocks are supplied for the mitres of No. 1312. Cornice No. 1172 is usually clean mitred. Steel leaves are used for the mitres of other Cornices shown.

STEEL CORNICES



No. 1103
9½ in. Girth





No. 1111
9½ in. Girth




No. 1385
10¼ in. Girth




No. 1384
10 in. Girth





No. 1314
10 in. Girth




No. 1363
11 in. Girth



No. 1454
11½ in. Girth



Supplied in Stock lengths of 6ft. Steel leaves are used for the mitres of these Cornices, with the exception of No. 1314, for the mitres of which we supply Corner Blocks.




STEEL CORNICES


No. 954
12in. Girth




No. 1101
12in. Girth




No. 1306
12in. Girth




No. 1443
12in. Girth



No. 1382
12 3/4in. Girth



No. 1305
13in. Girth



Supplied in Stock lengths of 6ft. Steel leaves are used for the mitres of these Cornices, with the exception of No. 1443, for the mitres of which we supply Corner Blocks.





STEEL CORNICES

No. 1383
13in. Girth



No. 1113
13in. Girth




No. 1411
13in. Girth





Supplied in Stock lengths of 6ft. Steel leaves are used for the mitres of these Cornices.

STEEL SOFFITS

No. 1348
6in. to 9in. wide



No. 1346
14in. to 18in.
wide



Also No. 1347
(same design)
10in. to 14in.
wide


Supplied in Stock lengths of 6ft. These Soffits are used for lining the underside of girders.



How to Fix Metal Ceilings


SECTIONS OF CEILINGS SHOWING METHODS OF FIXING

Wood Brackets
at Joints.




SECTION No. 1
Diaper Ceiling, Scotia finish.

Having fixed battens, first fix scotia to the ceiling battens. Wood brackets are used at the joints of the scotia. On account of the depth of this scotia being less than 2in., no batten is necessary on the wall.



SECTION No. 2
Diaper or paneling cut up to a large border finish

Being in one piece the cornice border and moulding is easily fixed. As the border is of a standard width, the ceiling pattern must be cut up to the moulding.



SECTION No. 3.
Ceiling of Sheet Panelling, with Cornice, Border and Moulding in three separate pieces.

NOTE Many of our Cornices and Mouldings are provided with a bead on the edge to go over fixings or border pattern, and so avoid close trimming of the sheet.

MITRE
LEAVES

The use of separate border and moulding enables the pattern in the ceiling to work out with a full ornament. The border can be cut to make up irregularities in the size of the room.

GENERAL REMARKS

Where our Metal Ceiling Materials are used, light timbers only are required for ceiling joists.

For fixing, the tools required are: Hammer, Bradawl, Punch, Pair of Snips, and Saw.

Procedure. In case of New Buildings having plaster walls a beveled ground should be fixed, to which is secured the batten for the bottom of cornice; and the walls floated before the Metal Material is fixed. For old Brick Buildings plugs should be inserted and battens fixed thereto.

For the body of the ceiling mark on the ends of the outside joists the distance which the cornice will project from the walls. These marks denote the centre of the Batten carrying the top of cornice and the ends

of the ceiling sheets. Space out 1½in. x 1in. oregon ceiling battens at 12in. centre to centre, starting from centre of the room, if it is desired that the ceiling pattern should be equal at the sides of the room. With many of our smaller pattern diaper sheetings it is sufficient to start with a pattern from one side and end of the room, in which case the battens can be spaced 12in. centre to centre from the centre of the cornice batten. Cut in cross battens to take the ends of metal sheets. Also, on two sides of the room fix trimmers level with under side of joist, to which nail the cornice batten.

Fix wood brackets behind angles and cornice joints. A batten must be fixed under all joints.

METAL FIXING


Cornice.—For mitring, allow one length of the Cornice to butt on to the wall, scribing the opposite length to it, covering the joint with a mitre leaf, using a little putty on the edge of the leaf before pressing it into the angle. Then nail to battens and brackets.

Sheeting.—Our sheets are trimmed true, and always lap at the joint. When the Cornice is fixed, start

fixing the sheets from the centre or side of the room, according to the spacing of the battens. To ensure a first-class job, temporarily tack the ceiling sheets in position, ascertaining if the lines are correct before completing the nailing. When all the sheets are nailed home, go over the joints with a small blunt tool, and tuck edges so that they lie close and even.



Showing Assembly of Diaper, Border Finish, Corner Blocks, etc., and method of fixing



Mitre Block


**Combination
Border Cornice
and Sheeting
in Steel.**

Internal and External
Angle Mitre Blocks are
supplied with Border
Cornice.

These Blocks materially
assist in the economy
and ease of fixing.

Battens spaced 12in. Centre to Centre

Plan of Portion of Ceiling, showing Diaper No. 1055. (Pattern 12in.)



Section of Ceiling and Cornice showing spacing of
wood battens on the ceiling joists.



Stamped Steel
Corner Block.




STEEL WALL LININGS




No. 1423



No. 1086



No. 1149



No. 1148



No. 1037

Supplied in Sheets—Stock Size: 6ft. x 2ft.



No. 1034

Illustrations represent portions of sheet 2ft. x 2ft.

WALL LINING DESIGN, No. 6050

Cornice No **1111**
6ft. lengths, 6in.
proj., 5in. depth
9½in. girth.

Wall Lining No
1428
Supplied in
Sheets.
6ft. x 2ft. wide


Dado Sheeting,
1349.
Supplied in
Sheets,
6ft. x 3ft. high.

Wood Skirting.





STEEL DADO PANELLINGS



No. 1471



No. 1349

Stock Size:
6ft. x 3ft. high.

The above illustrations represent portions 2ft. wide x 3ft. high.



12 in.
No. 929



12 in.
No. 927



12 in.
No. 1432



12 in.
No. 1431


These Dado panellings are supplied in Sheets 6ft. x 3ft. high.
Illustrations represent portions 1ft. wide x 3ft. high.



WALL LINING DESIGN, No 6051

Cornice, **1098**
9in. proj, 7in.
deep, 13½in. girth.

Wall Lining,
1139
Supplied in
Sheets
6ft. x 2ft. high.



Dado mould, **372**
2½in. wide, 5½in.
girth.

Dado Panels, **927**
Supplied in
Sheets,
6ft. x 3ft. high.



Wood Skirting.



WALL LINING DESIGN, No. 6052

Cornice, No.
1129
6ft. lens., 9in.
proj., 4in. deep,
11 1/2in. width

Walling No.
1148
Supplied in
Sheets,
6ft. x 2ft. high

Dado mould, **372**
6ft. lens., 2 1/2in.
wide x 5 in.
width

Dado Panels,
No. **1134**
Supplied in sizes
3ft. 6in. x 2ft.,
3ft. x 2ft.

Wood Skirting



How to Fix Dados and Wall Linings

Dado and Wall Lining Materials are attached to battens fixed to plugs in the wall, or nailed to wood studs, but it is advisable that the lower three feet of the Metal Sheeting be attached to wood lining boards in lieu of battens. If the ceilings are also to be of metal, they should be fixed first.

Obtain the height of dado, and strike a perfectly horizontal line for top of dado panels, allowing for height of wood skirting.

Now fix the battens for Metal Sheeting in a similar manner as for Ceilings, bearing in mind that it is essential to get an equal amount of the pattern on each side of the room. A batten should be placed

under each joint, and one under the centre of the sheet.

When all battens are in position, fix dado moulding and angle strips. (See Nos. 1368, 69, 70.)

Dado Panels and Metal Sheeting should now be fixed. Place the lower bead of the wall sheet along the flange on the dado moulding, and cut the pattern up to the bottom flange of the Cornice. To make a good joint where the sheets are cut against the Cornice, an extra flange piece should be used under the Cornice. This piece (No. 1370) should be fixed at the same time as the Cornice.

STEEL ANGLE STRIPS

Supplied in 6ft. lengths.



No. 1369

Steel Internal Angle Strip, used in conjunction with our Steel Wall Linings.



No. 1368

Steel External Angle Strip, used with our Steel Wall Linings.



No. 1370

Extra Flange, used at the intersection of Steel Cornice and Wall Lining

METAL TREATMENT TO BATHROOM

Comprising Diaper No. 1197, Cornice No. 1195, Wall Lining No. 173, Skirting No. 1198.




Illustration of Bath Room, with Walls and Ceilings of Steel.

Angle Strips, Nos. 1368, 1369 and 1370 are supplied in 6ft. lengths.



METAL CENTREFLOWERS
AMPLEY PERFORATED FOR VENTILATION



No. 50—12 $\frac{1}{2}$ in. dia.
Steel.




No. 52—14in. dia.
Zinc.



No. 1463 15 $\frac{1}{2}$ in.
dia. Zinc.




No. 55 18in. dia.
Steel.



No. 88—Ventilating Panel
(Steel).

Stock Sizes—12in. x 12in.
18in. x 18in.
24in. x 24in.

We can supply No. 88 in almost any
size, to order.



No. 337 22in. x 13 $\frac{1}{2}$ in. Zinc.




No. 1096—20 $\frac{1}{4}$ in. dia. Zinc.



No. 60
11 $\frac{1}{2}$ in. x 11 $\frac{1}{2}$ in. Zinc



No. 1464 12 $\frac{3}{4}$ in.
dia. Zinc.



No. 1094 15 $\frac{1}{2}$ in.
dia. Zinc.




No. 1013 18 $\frac{1}{2}$ in.
dia. Zinc.

METAL CENTREFLOWERS
AMPLEY PERFORATED FOR VENTILATION



No. 1095 18 $\frac{1}{2}$ in Diam
Zinc.



No. 56 19 $\frac{1}{2}$ in. x 19 $\frac{1}{2}$ in. Zinc.



No. 335 20in. Diam
Zinc.




No. 82 23in. Diam Steel.



No. 1505 15in. Diam,
Zinc.



No. 837 20 $\frac{1}{2}$ in D.am.
Zinc.



No. 794 29 $\frac{1}{2}$ in. Diam., Depth 4 $\frac{1}{2}$ in. Zinc.




No. 95—28 $\frac{1}{2}$ in. Diam. Zinc.



METAL CENTREFLOWERS
AMPLEY PERFORATED FOR VENTILATION




No. 334 20 $\frac{1}{2}$ in. Diam.
Zinc.



No. 1084 18in. x 18in. Zinc.



No. 888 19in. Diam.
Steel.



No 53 16 $\frac{1}{2}$ in. Diam.
Zinc.



No 1570 24in. Diam. Zinc.



No. 80—16 $\frac{1}{2}$ in. x 12in.
Zinc.



No. 1477—24in. x 24in. Steel.




No. 907 Max. Diam. 31in Zinc

WALL VENTILATORS


Patterns 1480 and 1482 are supplied in well painted Steel; and Patterns 803, 966 and 967 in Plain Zinc. Pattern 142 is made in Galvanised Steel.



No. 803 - Open Vent.
Size: 9in. x 6in.
For internal walls.




No. 1482 - Open Vent.
Size: 9in. x 6in.
For internal walls.



No. 1480 - Hit or Miss.
Size: 9in. x 6in.
For internal walls.



No. 966 - Open Vent.
Size: 9in. x 3in.
For internal walls.




No. 142 - Louvre.
Size: 9in. x 6in.
For external walls.



No. 967 - Hit or Miss.
Size: 9in. x 3in.
For internal walls.




No. 274 - Finial.
Height: 3ft. 3in.
Made in Zinc.




No. 823 - Vent Ridging, supplied in 6ft. lengths.
Made in Galvanised Steel.



No. 647 - Finial
Base 8in., Height 11in.




No. 1367 - Perforated Sheet. Supplied in sheets 6ft. x 2ft.
May be obtained in painted or galvd. Steel.



No. 1516—Fixed (Unventilated).
For stock sizes, see below.

No. 1516 Skylight is suited to positions where light only, without ventilation, is desired. It does not open.



No. 1515—Hinged.
For stock sizes, see below.

No. 1515 Skylight should be used where light is permanently required and ventilation is sometimes a necessity.


All Skylights are supplied in the following stock sizes, the measurements given being the glass sizes :—

3ft. x 2ft. 4ft. x 2ft. 4ft. x 3ft.

Special sizes can be made readily to order

All Skylights are supplied unglazed, unless otherwise specified.


Stock Skylights are suitable for a corrugated iron roof, but we can supply them, to order, for other types of roofing.



No. 1379 Hinged (Ventilated).
(Also stocked Unhinged)

Note the special provision, on two sides and bottom, for permanent ventilation.

No. 5 GLAZING BAR




No. 5 GLAZING BAR

Consisting of $1\frac{1}{2}$ in. x $1\frac{1}{2}$ in. x $\frac{1}{2}$ in. Tee Iron, Zinc Undercapping, and Zinc Top Capping.

This Glazing Bar is a wonderful improvement on the old fashioned wooden bars in glass roof construction. It is strong, fire resisting and weatherproof, and does away with the use of putty. The capping is designed to counteract vibration, expansion and contraction; hence the risk of broken or cracked glass is reduced to a minimum.

No. 5 Glazing Bar can be obtained either "Unstepped" (to suit single sheets of glass) or else "Stepped" (for overlapping glass).


Our Glazing Bars have been used successfully for many years. They are ideal for roof lights, glass houses, saw-tooth roofs, studios, etc.



View of Roof Light, showing the use of our No. 5 Glazing Bar.

If used in lengths exceeding 8ft., our No. 5 Glazing should have intermediate support. Shorter lengths are quite rigid and safe if secured at top and bottom only.

No. 5 Glazing Bar is secured to Ridge and Wall Plate by means of screws through the flanges of the Tee Iron. When ordering, Clients should state the exact lengths of Glazing Bar required, and should mention at what distance, from top and bottom of the bars, screw holes are to be drilled. A Steel Footplate, as illustrated, is always attached to the bottom of each bar, to hold glass in position.



No. 5 GLAZING BAR


View of bottom end.



*View of a Bank premises, illustrating the use of Rock-face Panels, Brick Sheet-
ing, Rough-cast Sheet-
ing, Metal Cornices and Ornaments, built Metal letters, etc.*

IMITATION ROCK-FACE IN GALVANISED STEEL

Wunderlich rock-face panels, brick sheeting, rough-cast sheeting, shingling sheets, etc., are well suited to the Australian climate and conditions. Being of galvanised steel, these materials are fireproof, and weather-resisting. They are light in weight and they nest closely when packed, so can be transported easily and cheaply. These materials produce the same effect as the work they imitate, yet at a very much smaller cost.



No. 990—Pilaster Sheets
in Galvanised Steel.

No. 989—Imitation Rock-Face, in Galvanised Steel.


Stocked in various sizes, as under:—

SUPPLIED IN SHEETS—
1ft. 1 $\frac{1}{2}$ in. wide x 5ft 3in.
high (6 blocks to the
sheet).

5ft. 10in. wide x 10 $\frac{1}{2}$ in. high	(3 blocks to a sheet);	1ft. 4in. wide x 10 $\frac{1}{2}$ in. high
3ft. 10in. wide x 10 $\frac{1}{2}$ in. high	(2 blocks to a sheet);	1ft. 2in. wide x 10 $\frac{1}{2}$ in. high
1ft. 11 $\frac{1}{2}$ in. wide x 10 $\frac{1}{2}$ in. high	(1 block to a sheet);	1ft. 1in. wide x 10 $\frac{1}{2}$ in. high
1ft. 7 $\frac{1}{2}$ in. wide x 1 $\frac{1}{2}$ in. high	(1 block to a sheet);	11 $\frac{1}{2}$ in. wide x 10 $\frac{1}{2}$ in. high



GALVANISED STEEL EXTERIOR MATERIALS



No. 1045—Rough-Cast Sheeting

Supplied in Sheets, 6ft. x 3ft. and
6ft. x 2ft.

(Illustration shows a portion 2ft. x 2ft.)



No. 189—Fish Scale Sheeting

Supplied in Sheets, 6ft. x 3ft. and
6ft. x 2ft.

(Illustration shows a portion 2ft. x 2ft.)

NOTE.—Fishscale Sheetings are made as under, in sheets 6ft. x 3ft. (also 6ft. x 2ft.):

No. 189 (as illustrated).	Scales, $3\frac{3}{8}$ in. x $3\frac{3}{8}$ in.	Covering capacity, 5ft. $10\frac{1}{4}$ in x 2ft. $10\frac{1}{4}$ in.
No. 190 (not illustrated).	Scales, $2\frac{3}{8}$ in. x $2\frac{3}{8}$ in.	Covering capacity, 5ft. $10\frac{1}{4}$ in x 2ft. $9\frac{1}{4}$ in.
No. 751 (not illustrated).	Scales, $5\frac{1}{8}$ in. x $5\frac{1}{8}$ in.	Covering capacity, 5ft. 10 in x 2ft. $8\frac{1}{2}$ in.

No. 1147—Vermiculated Quoins, made
in Galvanised Steel, and stocked in two
sizes, viz., 1ft. $11\frac{1}{2}$ in. x $10\frac{1}{2}$ in. high,
 $11\frac{1}{2}$ in. x $10\frac{1}{2}$ in. high.No. 1046 Brick Sheeting, stamped in
Galvanised Steel, and stocked in sheets
6ft. x 3ft. (covering capacity, 5ft. 8in.
x 2ft. 11in.).

Brick Sheeting No. 1046
is made to work in with
Quoins 1147, Pilaster
Sheets No. 990, and
Rock-face Panels No.
989

It will be noted that
three courses of the
brick pattern coincide in
height with a rock-face
panel or quoin block.

All materials illustrated above are supplied in Galvanised Steel.



METAL WINDOW HOODS




No. 1422

Stock Length, 6ft.
Projection of Bracket, 28in.
Height of Bracket, 31in.

Our Window Hoods, stamped from Galvanised Steel, are used very extensively, on account of the ease with which they may be assembled and fixed. No. 1330 is supplied in three parts, consisting of two brackets and a fishscale sheet. In the case of No. 1422, a fourth part, viz., the frieze, is provided if so desired. The Window Hoods are fixed by means of screws through lugs which we attach to the brackets. The fishscale sheet is turned up at back to form flashing against the wall; and the front edge is rolled, thus imparting extreme rigidity to the sheet.

Hoods longer than the stock size (viz., 6ft.), may be obtained, to order. Extra charges are made for these, according to the length required.



No. 1330

Stock Length, 6ft.
Projection of Bracket, 18½in.
Height of Bracket, 30in.

We also stock a Window Hood of similar design to No. 1330. The bracket has the same depth, but is 23in. projection. The Catalogue number is 1345.

SHINGLE SHEETING, No. 1504

Supplied in Galvanised Steel

This sheeting is suitable for the external walls of buildings, or it may be employed as an ornamental roofing.

Another use, to which it may be put, is in the decoration of gables; or, again, in a treatment under bay windows or in front of balconies.

Utilised in conjunction with wooden supporting brackets and bearers, this shingle sheeting completes an effective window-hood treatment.

In short, this material is a suitable alternative to patterns 189, 751, 190, 1046 and 1045, which are illustrated on page 45 of this catalogue.



No. 1504
Shingle Sheet.
Supplied in Sheets, 6ft. x 3ft.



METAL TABLETS AND NAMEPLATES



Special Memorial Tablet.
Size, 18in. diameter. Cast in Bronze,
oxidised.

We specialise in Metal Tablets, Memorial Plates, Name Boards, Built or Cast Letters, House Name Plates, Metal Signs, etc. When carried out in metal, such as bronze, copper, brass, nickel-silver, or even the less expensive metal, zinc, these Wunderlich Specialities create an impression of superiority, and assure that degree of durability attainable only in metal. Let us have particulars of any work of this character you have in view, and so obtain the benefit of our expert advice.

Roll of Honour Tablet No. **2120** is one of a series of stock designs suitable for memorialising, in an appropriate manner, the names of "Those who answered The Call," yet available at a moderate cost.



No. 2116



No. 2114



No. 2115

House Name Plates Nos. **2116**, **2114** and **2115** are stocked without lettering, the latter being hammered to suit each particular requirement. These Name Plates are of very superior design and finish.



No. 2120 - Copper Tablet, mounted on maple
backing.

(Full particulars on application.)

WUNDERLICH



LIMITED.

MODERN SHOPFRONT TREATMENTS

Involving the use of Metal Mouldings



Architects: Messrs. Robertson & Marks

*Metal Shopfronts
Hotel Australia, Sydney*

Builders: Messrs. Howie Moffat & Co.

This view of a Shopfront Treatment, carried out by our own craftsmen, illustrates the use of our Drawn Metal Mouldings on wood cores. Alike in City and Country, no modern Shopfront is complete unless treated with our Drawn Metal Mouldings.

The up-to-date shopkeeper, wishing to secure the best advertisement from his window space, and to make full use of a valuable frontage, will often resort to the Island Window treatment of his Shopfront. Our Drawn Metal Mouldings, comprising a complete range of sills, angle-bars, mullions, stile-bars, etc., are specially adapted to this work, increasing the rigidity of the windows and imparting a brilliancy and attractiveness to the Shopfront which was impossible with the old-time wooden treatment. Send us your plans or particulars of either new or old shops for which you desire this modern window construction, and we will assist you with original suggestions and designs.



Metal Shopfront, Showcases, etc., to Hillier's, Sydney

Donation A Shopfront 1919

WUNDERLICH



LIMITED.

WUNDERLICH PRODUCTS FOR HOME BUILDERS



A Cottage roofed with Wunderlich Terra Cotta Tiles.

:: Made in Australia by Australians ::

TERRA COTTA Roofing Tiles

Also Terra Cotta Roofing Accessories, manufactured at our Tileries in Sydney, Melbourne, Adelaide and Perth. Our Marseilles Pattern Terra Cotta Roofing Tiles are known throughout the length and breadth of Australia. Made in several shades of Red, also in a chocolate colour, brindle, and the recently-introduced colour-blend effect, these Roofing Tiles add a warmth of colour to the Home, and impart an air of stability and quality.

Durabestos (ASBESTOS CEMENT)

Building Sheets and Roofing
Slates.

Durabestos Sheets and Slates are made from Portland cement and Asbestos fibre, thoroughly mixed and subjected to enormous pressure.

You may obtain Durabestos in stout, rock-like sheets, 3-16ths of an inch thick, and in many convenient sizes, for External or Internal Walls. We also make Durabestos Slates, size 16 inches by 16 inches, for Roofing purposes.

Our Durabestos Products are fire, vermin and white ant proof; and perfectly weather resisting—improving with age.



A pretty suburban Home, with Walls of Durabestos Sheets, and Roofing of Durabestos Slates.

WUNDERLICH LIMITED

Head Office: BAPTIST ST., REDFERN, N.S.W.

Showrooms:

SYDNEY:
Baptist Street, Redfern.

MELBOURNE:
243 Collins Street.

ADELAIDE:
113-119 Currie Street.


BRISBANE:
Amelia Street, Valley.

PERTH:
Lord Street.

HOBART:
139 Macquarie Street.

LAUNCESTON:
71 St. John Street.

NEWCASTLE:
53 Hunter Street.



$\frac{3}{4}$ per sheet = $\frac{2}{3}$ per yd.
 $\frac{3}{4}$ = $\frac{2}{5\frac{1}{2}}$
 $\frac{3}{6}$ = $\frac{3}{11\frac{1}{4}}$

WUNDERLICH METAL CEILINGS

*A Ceiling for every room
in every home*

